

AccuStart Long Range SuperMix

Version 4.0

Revision Date 11/10/2020

Print Date 05/03/2021

SECTION 1. IDENTIFICATION

Product name : AccuStart Long Range SuperMix

Manufacturer or supplier's detailsCompany : QIAGEN Beverly, LLC.
100 Cummings Center
Suite 407J
Beverly, MA 01915
USA

Telephone : + 1 800 364-2149

Responsible Department :

E-mail : cpc@qiagen.com
addressResponsible/issuing
personEmergency telephone : CHEMTREC
USA & Canada 1-800-424-9300**Recommended use of the chemical and restrictions on use**

Recommended use : Laboratory chemicals

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Not a hazardous substance or mixture.

GHS Label element

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTSSubstance / Mixture : Mixture
Substance name : AccuStart Long Range SuperMix**Hazardous ingredients**

Chemical Name	CAS-No.	Concentration (% w/w)
poly(ethylene glycol)	25322-68-3	>= 1 - < 10
glycerol	56-81-5	>= 1 - < 10

SECTION 4. FIRST AID MEASURESGeneral advice : Show this material safety data sheet to the doctor in
attendance.
If inhaled : Move to fresh air.
If symptoms persist, call a physician.

AccuStart Long Range SuperMix

Version 4.0

Revision Date 11/10/2020

Print Date 05/03/2021

In case of skin contact	:	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If swallowed	:	If accidentally swallowed obtain immediate medical attention. Rinse mouth with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	No information available.
Notes to physician	:	No information available.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards during fire fighting	:	Exposure to decomposition products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x) Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
Specific extinguishing methods	:	In the event of fire and/or explosion do not breathe fumes.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
Methods and materials for containment and cleaning up	:	Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Materials to avoid	:	Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

AccuStart Long Range SuperMix

Version 4.0

Revision Date 11/10/2020

Print Date 05/03/2021

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
poly(ethylene glycol)	25322-68-3	TWA	10 mg/m ³	US WEEL
		TWA (aerosol)	10 mg/m ³	US WEEL
glycerol	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1
		TWA (Total)	10 mg/m ³	OSHA P0
		TWA (Respirable fraction)	5 mg/m ³	OSHA P0
		TWA	10 mg/m ³	ACGIH
		TWA (Mist - total dust)	10 mg/m ³	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m ³	OSHA P0

Personal protective equipment

Hand protection

Remarks	: The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
Eye protection	: Safety glasses
Skin and body protection	: Choose body protection according to the amount and concentration of the dangerous substance at the work place. Footwear protecting against chemicals
Hygiene measures	: Keep away from food and drink. When using do not eat, drink or smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: colorless
Odor	: No data available
Odor Threshold	: No data available
pH	: ca. 8.3
Melting point/range	: No data available
Boiling point/boiling range	: ca. 100 °C
Flash point	: No data available
Evaporation rate	: No data available
Burning rate	: No data available

AccuStart Long Range SuperMix

Version 4.0

Revision Date 11/10/2020

Print Date 05/03/2021

Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: ca. 1.0 g/cm ³
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Stable under recommended storage conditions. Hazardous decomposition products formed under fire conditions.
Conditions to avoid	: No data available
Incompatible materials	: No data available
Hazardous decomposition products	: No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity	: No data available Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: No data available Acute toxicity estimate: > 5,000 mg/kg

AccuStart Long Range SuperMix

Version 4.0

Revision Date 11/10/2020

Print Date 05/03/2021

Method: Calculation method

Ingredients:**poly(ethylene glycol):**

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

glycerol:

Acute oral toxicity : LD50 Oral (Rat): 12,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 10,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks:

May cause skin irritation in susceptible persons.

Ingredients:**glycerol:**

Species: Rabbit

Exposure time: 24 h

Result: Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks:

May irritate eyes.

Ingredients:**glycerol:**

Species: Rabbit

Result: Mild eye irritation

Exposure time: 24 h

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

AccuStart Long Range SuperMix

Version 4.0

Revision Date 11/10/2020

Print Date 05/03/2021

by NTP.

Reproductive toxicity

| Not classified based on available information.

STOT-single exposure

| Not classified based on available information.

STOT-repeated exposure

| Not classified based on available information.

Aspiration toxicity

| Not classified based on available information.

Further information

| No data available

SECTION 12. ECOLOGICAL INFORMATION
Ecotoxicity**Product:**

Toxicity to fish	:	No data available
Toxicity to algae	:	No data available
Toxicity to bacteria	:	No data available

Ingredients:**poly(ethylene glycol):**

Toxicity to fish	:	(Leuciscus idus (Golden orfe)): > 500 mg/l Exposure time: 96 h Test Type: static test
------------------	---	---

glycerol:

Toxicity to fish	:	LC0 (Leuciscus idus (Golden orfe)): > 250 mg/l Exposure time: 48 h
------------------	---	---

Persistence and degradability

No data available

Bioaccumulative potential**Product:**

| Bioaccumulation : No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Ozone-Depletion Potential	:	Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was
---------------------------	---	---

AccuStart Long Range SuperMix

Version 4.0

Revision Date 11/10/2020

Print Date 05/03/2021

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

Domestic regulation**49 CFR**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know****SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations**California Prop. 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other

AccuStart Long Range SuperMix

Version 4.0

Revision Date 11/10/2020

Print Date 05/03/2021

| reproductive defects.

TSCA list| The following substance(s) is/are subject to a Significant New Use Rule:
| ethoxylated nonylphenol 9016-45-9

| No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

Revision Date : 11/10/2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.